1614

ATTORNEY DOCKET NO. 21101.0026U2
PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of	)	
	)	
Kuwada	)	Group Art No.: 1614
	)	
Application No. 10/505,244	)	Examiner: Paulette R. Kidwell
	)	
International Filing Date: 21 February 2003	)	Confirmation No.: 7587
	)	
For:	)	

SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT

Mail Stop Amendment
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

NEEDLE & ROSENBERG, P.C.
Customer No. 23859

Sir:

Pursuant to the requirements of 37 C.F.R. § 1.56, submitted herewith on the accompanying Information Disclosure Statement List is a listing of documents known to Applicants and/or their attorneys. In accordance with 37 C.F.R. §1.98(a)(2), copies of any cited U.S. patent or U.S. patent application publication documents are not enclosed. Copies of any cited foreign patent document and/or any non-patent publication are enclosed.

This Information Disclosure Statement is believed to be filed in a timely manner pursuant to 37 C.F.R. § 1.97(b)(3), in that a first Office Action on the merits of the present patent application has not yet been mailed to Applicants.

Consideration of the cited documents and making the same of record in the prosecution of the above-referenced application are respectfully requested.

No fee is believed due; however, the Commissioner is hereby authorized to charge any additional fees which may be required, or credit any overpayment to Deposit Account No. 14-0629.

Respectfully submitted,

NEEDLE & ROSENBERG, P.C.

Janell T. Cleveland
Patent Agent
Registration No. 53,848

NEEDLE & ROSENBERG, P.C.
Customer Number 23859
(678) 420-9300
(678) 420-9301 (fax)

CERTIFICATE OF MAILING UNDER 37 C.F.R. § 1.8

I hereby certify that this correspondence, including any items indicated as attached or included, is being deposited with the United States Postal Service as first class mail in an envelope addressed to: Mail Stop Amendment, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on the date indicated below.

Janell T. Cleveland — Date: May 12, 2005

Information Disclosure Statement List

(Use as many sheets as necessary)

Complete if Known	
Application Number	10/505,244
Intl. Filing Date	February 21, 2003
First Named Inventor	Kuwada
Group Art Unit	Unassigned
Examiner Name	Unassigned

U.S. PATENT DOCUMENTS

Examiner's Initials	Cite No.	Document No.	Date	Name	Class	Subclass	Filing Date (if appropriate

FOREIGN PATENT DOCUMENTS

Examiner's Initials	Cite No.	Foreign Patent Document Country Code-Number-Kind Code	Date	Name	Translation Yes/No

NON-PATENT DOCUMENTS

Examiner's Initials	Cite No.	Non-Patent Citations (include Author, Title, Publisher, Relevant Pages, Date and Place of Publication)
	B1	Alkalay et al. (1995). Stimulation-dependent I kappa B alpha phosphorylation marks the NF-B inhibitor for degradation via the ubiquitin-proteasome pathway, Proc Natl Acad Sci U S A *92*, 10599-10603
	B2	Aoudjit and Vuori, (2001). Matrix attachment regulates Fas-induced apoptosis in endothelial cells: a role for c-flip and implications for anoikis, J Cell Biol *152*, 633-643
	B3	Battu et al. (1998). Cyclooxygenase-2 expression in human adenocarcinoma cell line HT29 cl.19A, Anticancer Res *18*, 2397-2403
	B4	Beg et al. (1992). I kappa B interacts with the nuclear localization sequences of the subunits of NF-κB: a mechanism for cytoplasmic retention, Genes Dev *6*, 1899-1913
	B5	Boland, (1999). Malignant Tumors of the Colon. In Textbook of Gastroenterology, T. Yamada, D. H. Alpers, L. Laine, C. Owyang, and D. W. Powell, eds. (Philadelphia, Lippincott Williams and Wilkins), pp. 2023-2082
	B6	Cao et al. (1998). Interleukin 15 protects against toxicity and potentiates antitumor activity of 5-fluorouracil alone and in combination with leucovorin in rats bearing colorectal cancer, Cancer Res *58*, 1695-1699
	B7	Chambers et al. (1995). Steps in tumor metastasis: new concepts from intravital videomicroscopy, Cancer Metastasis Rev *14*, 279-301
	B8	Chen et al. (1995). Signal-induced site-specific phosphorylation targets I kappa B alpha to the ubiquitin-proteasome pathway, Genes Dev *9*, 1586-1597
	B9	Crofford et al. (1997). Involvement of nuclear factor κ B in the regulation of cyclooxygenase-2 expression by interleukin-1 in rheumatoid synoviocytes, Arthritis Rheum *40*, 226-236
	B10	Darmoul et al. (2001). Initiation of human colon cancer cell proliferation by trypsin acting at protease-activated receptor-2, Br J Cancer *85*, 772-779
	B11	D'Haens et al. (1999). Endoscopic and histological healing with infliximab anti-tumor necrosis factor antibodies in Crohn's disease: A European multicenter trial, Gastroenterology *116*, 1029-1034
	B12	DiDonato et al. 1996). Mapping of the inducible IkappaB phosphorylation sites that signal its ubiquitination and degradation, Mol Cell Biol *16*, 1295-1304
	B13	DuBois et al. (1996). Nonsteroidal anti-inflammatory drugs, eicosanoids, and colorectal cancer prevention, Gastroenterol Clin North Am *25*, 773-791
	B14	Eberhart et al. (1994). Up-regulation of cyclooxygenase 2 gene expression in human colorectal adenomas and adenocarcinomas, Gastroenterology *107*, 1183-1188

Examiner Signature:	Date Considered:

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Information Disclosure Statement List

(Use as many sheets as necessary)

Complete if Known	
Application Number	10/505,244
Intl. Filing Date	February 21, 2003
First Named Inventor	Kuwada
Group Art Unit	Unassigned
Examiner Name	Unassigned

	B15	Elder et al. (1997). Induction of apoptotic cell death in human colorectal carcinoma cell lines by a cyclooxygenase-2 (COX-2)-selective nonsteroidal anti- inflammatory drug: independence from COX-2 protein expression, Clin Cancer Res *3*, 1679-1683
	B16	Elnemr et al. (2001). Human pancreatic cancer cells disable function of Fas receptors at several levels in Fas signal transduction pathway, Int J Oncol *18*, 311-316
	B17	Engers and Gabbert, (2000). Mechanisms of tumor metastasis: cell biological aspects and clinical implications, J Cancer Res Clin Oncol *126*, 682-692
	B18	Frisch and Francis, (1994). Disruption of epithelial cell-matrix interactions induces apoptosis, J Cell Biol *124*, 619-626
	B19	Giri and Aggarwal, (1998). Constitutive activation of NF-κB causes resistance to apoptosis in human cutaneous T cell lymphoma HuT-78 cells. Autocrine role of tumor necrosis factor and reactive oxygen intermediates, J Biol Chem *273*, 14008-14014
	B20	Golab et al. (2000). Interleukin 12 and indomethacin exert a synergistic, angiogenesis-dependent antitumor activity in mice, Life Sci *66*, 1223-1230
	B21	Groden et al. (1995). Response of colon cancer cell lines to the introduction of APC, a colon-specific tumor suppressor gene, Cancer Res *55*, 1531-1539
	B22	Han et al. (2000). Activation of NF-κB determines the sensitivity of human colon cancer cells to TNFalpha-induced apoptosis, Biol Pharm Bull *23*, 420-426
	B23	Hansen et al. (1995). Tumor cells in blood shed from the surgical field, Arch Surg *130*, 387-393
	B24	Hansen et al. (1999). Blood irradiation for intraoperative autotransfusion in cancer surgery: demonstration of efficient elimination of contaminating tumor cells, Transfusion *39*, 608-615
	B25	He et al. (1999). PPARdelta is an APC-regulated target of nonsteroidal anti-inflammatory drugs, Cell *99*, 335-345
	B26	Henkel et al. (1993). Rapid proteolysis of I kappa B-alpha is necessary for activation of transcription factor NF-κB, Nature *365*, 182-185
	B27	Higgins et al. (1993). Antisense inhibition of the p65 subunit of NF-κB blocks tumorigenicity and causes tumor regression, Proc Natl Acad Sci U S A *90*, 9901-9905
	B28	Hsi et al. 2000). Lack of cyclooxygenase-2 activity in HT-29 human colorectal carcinoma cells, Exp Cell Res *256*, 563-570
	B29	Huang et al. (2001). Blockade of NF-κB activity in human prostate cancer cells is associated with suppression of angiogenesis, invasion, and metastasis, Oncogene *20*, 4188-4197
	B30	Ichijo et al.. (1997). Induction of apoptosis by ASK1, a mammalian MAPKKK that activates SAPK/JNK and p38 signaling pathways, Science *275*, 90-94
	B31	Ilyas et al.. (1997). Beta-catenin mutations in cell lines established from human colorectal cancers, Proc Natl Acad Sci U S A *94*, 10330-10334
	B32	Irmler et al. (1997). Inhibition of death receptor signals by cellular FLIP, Nature *388*, 190-195
	B33	Jung et al. (1995). A distinct array of proinflammatory cytokines is expressed in human colon epithelial cells in response to bacterial invasion, J Clin Invest *95*, 55-65
	B34	Kreuz et al. (2001). NF-κB inducers upregulate cFLIP, a cycloheximide-sensitive inhibitor of death receptor signaling, Mol Cell Biol *21*, 3964-3973
	B35	Kutchera et al. (1996). Prostaglandin H synthase 2 is expressed abnormally in human colon cancer: evidence for a transcriptional effect, Proc Natl Acad Sci U S A *93*, 4816-4820

Examiner Signature:	Date Considered:

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Information Disclosure Statement List

(Use as many sheets as necessary)

Complete if Known	
Application Number	10/505,244
Intl. Filing Date	February 21, 2003
First Named Inventor	Kuwada
Group Art Unit	Unassigned
Examiner Name	Unassigned

	B36	Lee and Juliano, (2000). alpha5beta1 integrin protects intestinal epithelial cells from apoptosis through a phosphatidylinositol 3-kinase and protein kinase B- dependent pathway, Mol Biol Cell *11*, 1973-1987
	B37	Liefers et al. (1998). Micrometastases and survival in stage II colorectal cancer, N Engl J Med *339*, 223-228
	B38	Liotta et al. (1974). Quantitative relationships of intravascular tumor cells, tumor vessels, and pulmonary metastases following tumor implantation, Cancer Res *34*, 997-1004
	B39	Martin, (1996). Normal Cells and Cancer Cells. In Molecular Oncology, J. M. Bishop, and R. A. Weinberg, eds. (New York, Scientific American), pp. 13-40
	B40	Mehes et al. (2001). Circulating breast cancer cells are frequently apoptotic, Am J Pathol *159*, 17-20.
	B41	Meredith et al. (1993). The extracellular matrix as a cell survival factor, Mol Biol Cell *4*, 953-961
	B42	Munemitsu et al. (1995). Regulation of intracellular beta-catenin levels by the adenomatous polyposis coli (APC) tumor-suppressor protein, Proc Natl Acad Sci U S A *92*, 3046-3050
	B43	Newton et al. (1997). Evidence for involvement of NF-□B in the transcriptional control of COX-2 gene expression by IL-1beta, Biochem Biophys Res Commun *237*, 28-32
	B44	Newton et al. (1997). Superinduction of COX-2 mRNA by cycloheximide and interleukin-1beta involves increased transcription and correlates with increased NF-κB and JNK activation, FEBS Lett *418*, 135-138
	B45	Nicolson, (1991). Gene expression, cellular diversification and tumor progression to the metastatic phenotype, Bioessays *13*, 337-342
	B46	Palombella et al. (1994). The ubiquitin-proteasome pathway is required for processing the NF-□B 1 precursor protein and the activation of NF-κB, Cell *78*, 773-785
	B47	Peleg et al. (1996). Long-term use of nonsteroidal antiinflammatory drugs and other chemopreventors and risk of subsequent colorectal neoplasia, Dig Dis Sci *41*, 1319-1326
	B48	Pierce et al. (1997). Novel inhibitors of cytokine-induced IkappaBalpha phosphorylation and endothelial cell adhesion molecule expression show anti-inflammatory effects in vivo, J Biol Chem *272*, 21096-21103
	B49	Remacle-Bonnet et al. (2000). Insulin-like growth factor-I protects colon cancer cells from death factor-induced apoptosis by potentiating tumor necrosis factor alpha- induced mitogen-activated protein kinase and nuclear factor kappaB signaling pathways, Cancer Res *60*, 2007-2017
	B50	Renard et al. (2001). Development of a sensitive multi-well colorimetric assay for active NF-κB, Nucleic Acids Res *29*, No.4e21
	B51	Rosette and Karin, (1996). Ultraviolet light and osmotic stress: activation of the JNK cascade through multiple growth factor and cytokine receptors, Science *274*, 1194-1197.
	B52	Rubinfeld et al. (1995). The APC protein and E-cadherin form similar but independent complexes with alpha-catenin, beta-catenin, and plakoglobin, J Biol Chem *270*, 5549-5555
	B53	Ryu et al. (2001). Increased expression of cFLIP(L) in colonic adenocarcinoma, J Pathol *194*, 15-19
	B54	Schmedtje et al. (1997). Hypoxia induces cyclooxygenase-2 via the NF-κB p65 transcription factor in human vascular endothelial cells, J Biol Chem *272*, 601-608

Examiner Signature:	Date Considered:

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Information Disclosure Statement List

(Use as many sheets as necessary)

Complete if Known	
Application Number	10/505,244
Intl. Filing Date	February 21, 2003
First Named Inventor	Kuwada
Group Art Unit	Unassigned
Examiner Name	Unassigned

	B55	Schwartz et al. (1999). The role of NF-κB / IκB proteins in cancer: implications for novel treatment strategies., Surgical Oncology *8*, 143-153
	B56	Shanmugathasan and Jothy, (2000). Apoptosis, anoikis and their relevance to the pathobiology of colon cancer, Pathol Int *50*, 273-279
	B57	Shao et al. (2000). Regulation of constitutive cyclooxygenase-2 expression in colon carcinoma cells, J Biol Chem *275*, 33951-33956
	B58	Sheng et al. (1997). Inhibition of human colon cancer cell growth by selective inhibition of cyclooxygenase-2, J Clin Invest *99*, 2254-2259
	B59	Shiff et al. (1995). Sulindac sulfide, an aspirin-like compound, inhibits proliferation, causes cell cycle quiescence, and induces apoptosis in HT-29 colon adenocarcinoma cells, J Clin Invest *96*, 491-503
	B60	Shinohara et al. (1998). Prevention of intestinal toxic effects and intensification of irinotecan's therapeutic efficacy against murine colon cancer liver metastases by oral administration of the lipopeptide JBT 3002, Clin Cancer Res *4*, 2053-2063
	B61	Shureiqi et al. (1999). Decreased 13-S-hydroxyoctadecadienoic acid levels and 15-lipoxygenase-1 expression in human colon cancers, Carcinogenesis *20*, 1985-1995
	B62	Shureiqi et al. (2000). 15-LOX-1: a novel molecular target of nonsteroidal anti-inflammatory drug-induced apoptosis in colorectal cancer cells, J Natl Cancer Inst *92*, 1136-1142
	B63	Singh and Trotman, (1998). Use and safety of aspirin in the chemoprevention of colorectal cancer, J Assoc Acad Minor Phys *9*, 40-44
	B64	Sinicrope et al. (1996). Phase I trial of sulindac plus 5-fluorouracil and levamisole: potential adjuvant therapy for colon carcinoma, Clin Cancer Res *2*, 37-41.
	B65	Smalley and DuBois, (1997). Colorectal cancer and nonsteroidal anti-inflammatory drugs, Adv Pharmacol *39*, 1-20
	B66	Sokoloski et al. (1993). Antisense oligonucleotides to the p65 subunit of NF-κB block CD11b expression and alter adhesion properties of differentiated HL-60 granulocytes, Blood *82*, 625-632
	B67	Stehlik et al. (1998). Nuclear factor (NF)-kappaB-regulated X-chromosome-linked iap gene expression protects endothelial cells from tumor necrosis factor alpha- induced apoptosis, J Exp Med *188*, 211-216
	B68	Strater et al. (1996). Rapid onset of apoptosis in vitro follows disruption of beta 1-integrin/matrix interactions in human colonic crypt cells, Gastroenterology *110*, 1776-1784
	B69	Tepper and Seldin, (1999). Modulation of caspase-8 and FLICE-inhibitory protein expression as a potential mechanism of Epstein-Barr virus tumorigenesis in Burkitt's lymphoma, Blood *94*, 1727-1737
	B70	Traenckner et al. 1995). Phosphorylation of human IκB-alpha on serines 32 and 36 controls I kappa B-alpha proteolysis and NF-κB activation in response to diverse stimuli, Embo J *14*, 2876-2883
	B71	Tsuji et al. (1996). Evidences for involvement of cyclooxygenase-2 in proliferation of two gastrointestinal cancer cell lines, Prostaglandins Leukot Essent Fatty Acids *55*, 179-183
	B72	Tsujii and DuBois, (1995). Alterations in cellular adhesion and apoptosis in epithelial cells overexpressing prostaglandin endoperoxide synthase 2, Cell *83*, 493-501
	B73	Wang et al. (1999). Control of inducible chemoresistance: enhanced anti-tumor therapy through increased apoptosis by inhibition of NF-κB, Nat Med *5*, 412-417

Examiner Signature:	Date Considered:

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Information Disclosure Statement List

(Use as many sheets as necessary)

Complete if Known	
Application Number	10/505,244
Intl. Filing Date	February 21, 2003
First Named Inventor	Kuwada
Group Art Unit	Unassigned
Examiner Name	Unassigned

	B74	Wang, et al. (1998). NF-κB antiapoptosis: induction of TRAF1 and TRAF2 and c-IAP1 and c-IAP2 to suppress caspase-8 activation, Science *281*, 1680-1683
	B75	Weiss, (1985). Metastatic inefficiency. In Liver Metastasis, L. Weiss, and H. Gilbert, eds. (Boston, Hall), pp. 126-157
	B76	Wu et al. (1998). IEX-1L, an apoptosis inhibitor involved in NF-κB -mediated cell survival, Science *281*, 998-1001
	B77	Yamamoto et al. (1999). Sulindac inhibits activation of the NF-κB pathway, J Biol Chem *274*, 27307-27314
	B78	Yin et al. (1998). The anti-inflammatory agents aspirin and salicylate inhibit the activity of IκB kinase-beta, Nature *396*, 77-80

Examiner Signature:	Date Considered:
EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.	